WARRIOR™
CATALOGUE



HAND AND ARM PROTECTION



BLACK LATEX THERMAL GLOVES

featured on page 12



AVAILABLE IN

12 PAIRS PER PACK
600 PAIRS PER CARTON

MENS STOCKINETTE K/W GLOVES

SIZE 10

- Polyester / cotton

CAT. I

TECHNICAL DETAILS

WARNING: This product is NOT food safe

CODE: DWGL215



AVAILABLE IN

12 PAIRS PER PACK
600 PAIRS PER CARTON

BLEACHED COTTON GLOVES

SIZE LADIES / MENS

- Polyester / cotton

CAT. I

TECHNICAL DETAILS

CODE: DWGL220 ♀ CODE: DWGL225 ♂



AVAILABLE IN

12 PAIRS PER PACK
300 PAIRS PER CARTON

MENS 8OZ COTTON DRILL K/W GLOVES

SIZE 10

- Beige 8oz cotton

CAT. I

TECHNICAL DETAILS

CODE: DWGL230





AVAILABLE IN

12 PAIRS PER PACK
300 PAIRS PER CARTON

MIXED FIBRE GLOVES

SIZE 10

- White / grey - polyester / cotton

CAT. I

TECHNICAL DETAILS

CODE: DWGL235 CODE: DWGL240



AVAILABLE IN

6 PAIRS PER PACK
120 PAIRS PER CARTON

MENS 32OZ TERRYCLOTH K/W GLOVES

SIZE 10

- Beige 32oz cotton

CAT. I

TECHNICAL DETAILS

CODE: DWGL245



AVAILABLE IN

12 PAIRS PER PACK
240 PAIRS PER CARTON

WHITE UNCOATED POLYESTER GLOVES

SIZE 7 - 10

- 13G white polyester liner
- Silicone free

CAT. I

TECHNICAL DETAILS

CODE: DWGL185

THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.

HELP PREVENT THE RISK OF INJURIES BY WEARING OUR QUALITY WARRIOR HAND PROTECTION.

PROTECT YOUR HANDS.







FOOD SAFE

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

HOUSEHOLD GLOVES

SIZE S - XL

- Cotton flock lined
- Yellow / blue latex coating
- Soft and durable
- Easy fit

HARD-WEARING

Our quality gloves are durable and stand the test of time

TECHNICAL DETAILS	
WARNING: Contains Latex*	
EN 1186	
CODE: DWGL355	CODE: DWGL360

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



CAT. I



DOTTED PVC

AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE PVC DOTTED GLOVES

SIZE 7 - 10

- 10G white polyester / cotton liner
- Blue PVC dots to palm, fingers and thumbs

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 1
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL155



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

STANDARD RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Grey cow split leather patch palm

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL105



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

RED RIGGER GLOVES

SIZE 10 & 12

- Grey cow split leather

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL110



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

REINFORCED PALM RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Black cow split leather reinforced palm

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 2
Tear Resistance - Level: 4
Puncture Resistance - Level: 4
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL115

HELP PREVENT THE RISK OF INJURIES BY WEARING OUR QUALITY WARRIOR HAND PROTECTION.

PROTECT YOUR HANDS.







AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

YELLOW LINED DRIVERS GLOVES

SIZE 10

- Yellow cow grain leather
- Red cotton full fleece / flannel lining
- Velcro fastening cuff strap

VELCRO FASTENING
Easy to wear and adjustable

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL120

CAT. II



WARNING:
Not for use with liquids, not flame resistant

AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

RED WELDERS GAUNTLETS

SIZE 10

- Red cow leather
- Partial welting to the seams and finger tips
- Self hemmed

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: 4
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN407: 2004
Burning Behaviour - Level: 4
Contact Heat - Level: 2
Convective Heat - Level: 3
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: 4
Large Quantities of Molten Metal - Level: X
EN12477: TYPE A
CODE: DWGL095



WARNING:
Not for use with liquids, not flame resistant

AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

YELLOW REINFORCED PALM WELDERS GAUNTLETS

SIZE 10

- Yellow cow leather
- Red cow leather reinforced palm
- Partial welting to the seams and finger tips
- Self hemmed

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 2
Tear Resistance - Level: 4
Puncture Resistance - Level: 4
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN407: 2004
Burning Behaviour - Level: 4
Contact Heat - Level: 2
Convective Heat - Level: 3
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: 4
Large Quantities of Molten Metal - Level: X
EN12477: TYPE A
CODE: DWGL100

PROTECT YOUR HANDS WHILST WELDING.

warriorprotects.com



DWGL125 featured on page 8



WARNING:
Not for use with liquids, not flame resistant

AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

GREY TIG WELDERS GAUNTLETS

SIZE 10

- Grey goat grain leather palm and fingers
- Grey cow leather cuff

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN407: 2004
Burning Behaviour - Level: 4
Contact Heat - Level: 1
Convective Heat - Level: 3
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: 4
Large Quantities of Molten Metal - Level: X
EN12477: TYPE B
CODE: DWGL125



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

RED PVC K/W GLOVES

SIZE 7 - 10

- Polyester jersey liner
- Red PVC coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL190

GREEN LATEX GLOVES

featured on page 9





AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

RED PVC GAUNTLETS 11”

SIZE 9 - 10

- Polyester jersey liner
- Red PVC coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL195



AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

RED PVC GAUNTLETS 14” / 16” / 18”

SIZE 10

- Polyester jersey liner
- Red PVC coating

DWGL200 14” pictured above

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL200 (14”) CODE: DWGL205 (16”)
CODE: DWGL210 (18”)





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

LATEX GLOVES

SIZE 8 - 11

- 10G yellow polyester / cotton liner
- Orange / green crinkle latex palm dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL270 CODE: DWGL275

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK LATEX GLOVES

SIZE 7 - 11

- 13G red polyester liner
- Black crinkle latex palm dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL015

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

HELP PREVENT THE RISK OF INJURIES TO YOUR HANDS BY WEARING OUR QUALITY BLACK FOAM LATEX GLOVES.

PROTECT YOUR HANDS.







AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating

HARD-WEARING

Our quality gloves are durable and stand the test of time

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL020 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX SUPA GLOVES

SIZE 7 - 12

- 10G red polyester liner
- Black crinkle latex palm dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL285

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



Sanitized

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE LATEX GLOVES

COMING SOON

SIZE 7 - 11

- 15G grey nylon liner
- Blue crinkle latex palm dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL265

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



HELP PREVENT THE RISK OF INJURIES TO YOUR HANDS BY WEARING OUR QUALITY LATEX THERMAL GLOVES.

PROTECT YOUR HANDS.

THERMAL
Provides the perfect balance for protection and performance







AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX THERMAL GLOVES

SIZE 7 - 11

- 10G yellow / orange acrylic liner
- Black crinkle latex palm dip coating

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 1
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 1
Water Penetration - Level: X
CODE: DWGL040
CODE: DWGL160

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

DOUBLE DIPPED LATEX GLOVES

SIZE 7 - 12

- 15G black and blue polyester liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL005

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX THERMAL GLOVES

SIZE 7 - 12

- 7G orange acrylic liner
- Orange latex full dip coating
- Black sandy latex palm and thumb dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 3
Water Penetration - Level: X
CODE: DWGL010

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



BLACK LATEX THERMAL GLOVES

featured on page 12

BLACK LATEX GLOVES
featured on page 9

PROTECT YOUR HANDS WITH WARRIOR.

warriorprotects.com



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

PU GLOVES

SIZE 6 - 11

- 13G black / grey / white polyester liner
- Black / grey / white PU palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL315 ● CODE: DWGL320 ●
CODE: DWGL325 ○



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE L/W NITRILE OPEN BACK K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile knuckle dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL130 ●



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE L/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile full dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL135 ●



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE H/W NITRILE OPEN BACK K/W GLOVES

SIZE 8 - 10

- Beige jersey cotton liner
- Blue nitrile knuckle dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL140 ●



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL145



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP SAFETY CUFF GLOVES

SIZE 9 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL150





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

NITRILE GLOVES

SIZE 7 - 11

- 13G black / white polyester liner
- Black / grey nitrile palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL280 CODE: DWGL035



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black nitrile full dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL165



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

GREY POROUS FOAM NITRILE GLOVES

SIZE 6 - 11

- 13G white polyester liner
- Grey porous foam nitrile palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL175



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE GLOVES

SIZE 5 - 12

- 15G grey nylon / spandex liner
- Black sandy foam nitrile palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL085



Sanitized

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

MAX
8 WASH CYCLES

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE GLOVES

COMING SOON

SIZE 6 - 12

- 15G grey nylon / spandex liner
- Black foam nitrile palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X
Touch screen compatible
CODE: DWGL255



HELP PREVENT THE RISK OF INJURIES TO YOUR HANDS BY WEARING OUR QUALITY BLACK NITRILE GLOVES.

PROTECT YOUR HANDS.







AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE GLOVES

COMING SOON

SIZE 7 - 11

- 15G black nylon / spandex liner
- Black nitrile knuckle dip coating

Sanitized

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

HARD-WEARING

Our quality gloves are durable and stand the test of time

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 4
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL260 ●

CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE THERMAL GLOVES

SIZE 7 - 11

- 13G black acrylic liner
- Black foam nitrile full dip coating
- Velcro fastening cuff strap

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 1
Water Penetration - Level: X
CODE: DWGL170

GREY PU CUT C GLOVES

featured on page 21





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT A GLOVES

SIZE 7 - 11

- 13G red HPPE liner
- Black PU palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: A
CODE: DWGL330



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT B GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass liner
- Grey PU palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B
CODE: DWGL305



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT C GLOVES

SIZE 7 - 11

- 13G grey HPPE / glass liner
- Grey PU palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C
CODE: DWGL090





AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT C GLOVES

SIZE 7 - 11

- 13G amber HPPE / glass liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C
CODE: DWGL045



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT D GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass / steel liner
- Black PU palm dip coating

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
CODE: DWGL310



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX CUT D GLOVES

SIZE 6 - 12

- 13G black and grey HPPE / glass liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating

CAT. II

TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
CODE: DWGL395

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.

HELP PREVENT THE RISK OF INJURIES TO YOUR HANDS BY WEARING OUR QUALITY BLACK NITRILE CUT E GLOVES.

PROTECT YOUR HANDS.







AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT E GLOVES

SIZE 7 - 11

- 13G green or black & grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E
CODE: DWGL050 CODE: DWGL075


HARD-WEARING

Our quality gloves are durable and stand the test of time



CAT. II





AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT F GLOVES

SIZE 7 - 11

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F
CODE: DWGL080 ●



GREY TPR
BACK OF HAND



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTON

GREY TPR CUT D & GREY NITRILE GLOVES

SIZE 8 - 12

- 13G grey HPPE / glass liner
- Grey sandy nitrile palm dip coating
- Grey nitrile crotch reinforcement
- Velcro fastening cuff strap

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
Impact Resistance - P
CODE: DWGL025 ●





BLACK TPR
BACK OF HAND

AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTON

BLACK TPR CUT F & BLACK NITRILE GLOVES

SIZE 8 - 12

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement
- Velcro fastening cuff strap

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F
Impact Resistance - P
CODE: DWGL030 ●





WATERPROOF
BAG / MEMBRANE



GREY TPR
BACK OF HAND

AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTON

GREY TPR CUT E & BLACK NITRILE THERMAL GLOVES

SIZE 8 - 12

- 13G black HPPE liner
- 7G black acrylic / glass liner
- Black sandy nitrile palm dip coating
- Extended black nitrile crotch reinforcement

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E
Impact Resistance - P
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 2
Water Penetration - Level: X
CODE: DWGL070



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREEN NITRILE CHEMICAL GAUNTLETS

SIZE 7 - 11

- Flock lined
- Green nitrile coating

CAT. III

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 0
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN ISO 374-1: 2016 - Type A
Methanol (A) - Level: 2
n-Heptane (J) - Level: 6
40% Sodium Hydroxide (K) - Level: 6
96% Sulphuric Acid (L) - Level: 3
65% Nitric Acid (M) - Level: 3
99% Acetic Acid (N) - Level: 3
25% Ammonium Hydroxide (O) - Level: 5
EN ISO 374-5: 2016
Protection against Bacteria & Fungi - Pass
Protection against Viruses - Pass
CODE: DWGL250

DWGL250 featured above



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK MECHANICS DRIVERS GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL290 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK / GREY MECHANICS REINFORCED PALM GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL295 ◑



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK / GREY MECHANICS THERMAL GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather
- Polyester lining

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN 511: 2006
Convective Cold - Level: X
Contact Cold - Level: 4
Water Penetration - Level: X
CODE: DWGL300 ◑



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.

HELP PREVENT THE RISK OF INJURIES BY WEARING OUR QUALITY WARRIOR ARM PROTECTION.

PROTECT YOUR ARMS.







AVAILABLE IN

1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT D SLEEVE

SIZE 10", 14", 18", 22"

- 13G yellow HPPE / glass liner

DWSL005 10" pictured above

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X

CODE: DWSL005 (10") CODE: DWSL010 (14")

CODE: DWSL015 (18") CODE: DWSL020 (22")

COMFORTABLE
Soft, durable sleeves for ease of movement

CAT. II



AVAILABLE IN

1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

GREY CUT D SLEEVE

SIZE 10", 14", 18", 22"

- 13G grey HPPE / glass liner

DWSL025 10" pictured above

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X
CODE: DWSL025 (10") **CODE: DWSL030 (14")**
CODE: DWSL035 (18") **CODE: DWSL040 (22")**



AVAILABLE IN

1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT B SLEEVE

SIZE 10", 14", 18", 22"

- Yellow double layer aramid

DWSL045 10" pictured above

CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X
CODE: DWSL045 (10") **CODE: DWSL050 (14")**
CODE: DWSL055 (18") **CODE: DWSL060 (22")**

PROTECT YOUR ARMS WITH WARRIOR.

warriorprotects.com



YOUR PPE SPECIALIST.

WARRIOR PROTECTS

@warriorprotects



For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**
warriorprotects.com

WARRIOR™

Head Office - Cradley Heath
Units 9-17 Charlton Drive,
Corngreaves Trading Estate,
Cradley Heath, West Midlands
B64 7BJ

WARRIOR AND WARRIOR PROTECTS ARE TRADE MARKS
OF MAIN MAN SUPPLIES LTD