



Chemical protection

ALTO 405

Frequent contact | intermittent wear

Fine touch for light chemical protection



CHEMICAL PROTECTION
TYPE B

EN388



2110X

EN ISO 374-1



TYPE B
KMT

EN ISO 374-5



EN 421



CAT.3



0334

DEXTERITY

EN 420:
5/5

SPECIFIC ADVANTAGES



Comfort

- Added comfort and absorption of perspiration, due to the cotton flock-lining
- Tactile sensitivity, due to the gloves reduced thickness



Productivity

- Good grip, due to the non-slip embossing

INDUSTRIES

- Automotive/mechanical industry
- Aeronautics industry
- Other industries

APPLICATIONS

- Work with composite materials (resins)
- Industrial cleaning, maintenance
- Spray-painting



Chemical protection

ALTO 405

Frequent contact | intermittent wear

LEGENDS

EN388	MECHANICAL HAZARDS
	PERFORMANCE LEVELS (X = NOT TESTED)
2 1 1 0 X	
0-4 0-5 0-4 0-4 A-F P	
	Impact protection (optional)
	Cut resistance according to ISO 13997
	Puncture resistance
	Tear resistance
	Blade cut resistance
	Abrasion resistance
EN ISO 374-1	CHEMICAL RISKS
	K: Sodium hydroxide 40%
	M: Nitric acid 65%
	T: Formaldehyde 37%
TYPE B	
EN 421	RADIOACTIVE CONTAMINATION
EN ISO 374-5	MICRO-ORGANISMS
	Protection against bacteria and fungi

PRODUCT DETAILS

Interior finish	Flocked
Exterior finish	Embossed texture
Material	Polychloroprene and natural latex
Cuff characteristic	Straight cuff
Colour.s	Blue Yellow
Length (cm)	33
Thickness (mm)	0.7
Size	6 7 8 9 10
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	7.8E+12 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	4.2E+12 Ω

LOGISTIC DETAILS

Packaging	1 pair/bag 10 pairs/bag 100 pairs/carton
-----------	--

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/05/18/0950
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 - Asqual 14 rue des Reculettes -75013 Paris - France